

Benlysta Order Form (belimumab)

FAX TO: 972.499.9210

PATIENT INFORMATION				
Patient Name:	DOB:	_ Phone:	Sex: M F Ht:	Wt: lbs kg
Primary Language:	Allergies:			
Patient Preferred Location:				
<icd 10="" code="" required=""></icd>	DIAGNOSIS & C	LINICAL INFORMATION		
ICD 10 Code M32.10 Systemic Lupus Erythematosus, Organ or System Involvement Unspecified M32.15 Tubulo-interstitial Nephropathy in Systemic Lupus Erythematosus Other:				
<u>REQUIRED</u> : Demographics & Most Recent: H&P, clinical notes, & medication list. Supporting clinical notes to include any past tried and/or failed therapies, intolerance, outcomes, or contraindications to conventional therapy. <u>LAB RESULTS</u> : Positive autoantibody results: i.e. Anti-dsDNA, Antinuclear Antibody (ANA), Anti-Smith.				
	PRE	SCRIPTION		
Pre-Medications Acetaminophen: 650 mg PO Cetirizine: 10 mg PO Diphenhydramine: 25 mg PO Diphenhydramine: 25 mg PO Methylprednisolone: 125 mg SIVP Famotidine: 20 mg PO Methylprednisolone: 125 mg SIVP Other: BENLYSTA (belimumab) Loading Dose IV: Infuse 10 mg/kg in 250 mL of 0.9% Sodium Chloride over at least 60 minutes at weeks 0, 2, and 4 Maintenance Dose IV: Infuse 10 mg/kg in 250 mL of 0.9% Sodium Chloride over at least 60 minutes every 4 weeks for one year Patient Weight: kg Post Treatment Observations: The patient is observed for 30 minutes following the first administration. Adverse Events: In the event of an adverse reaction occurring at a Medix Infusion suite, utilize the Medix Infusion adverse reactions protocol. Comments:				
PRESCRIBER INFORMATION				
Prescriber Name:		Signature:		
Date: NPI #:				
Supervising Physician:				(If Applicable)
Address:	City:		State:	Zip:
Contact Name:	Phone:	Fax:	Email:	