## Kimyrsa Order Form (oritavancin)



medix Infusion	-	Order Form vancin)	FAX TO: 972.499.9210
	PATIENT IN	IFORMATION	
Patient Name:	DOB: P	hone: Sex:	M F Ht: Wt: lbs kg
Primary Language:	Allergies:		
Patient Preferred Location:			
<icd 10="" code="" required=""></icd>	DIAGNOSIS & CLIN	NICAL INFORMATION	
ICD 10 Code (PROVIDE COMPLET	E CODE)		
ICD 10 Code:			
Description:			
<u>REQUIRED</u> : Demographics & N any past tried and/or failed then <u>LAB RESULTS</u> : Include culture	apies, intolerance, outcome		
	PRESC		
KIMYRSA (oritavancin)			
Start and follow each infusion with 1	0 mL of 0.9% Sodium Chloride fl	ush	
Loading Dose			
IV: Infuse 1200 mg in 0.9% Sodium	Chloride for a total volume of 250	) mL as a single dose over 1 hou	ır
Post Treatment Observations: The	patient is observed for 30 minut	es following the first and second	administrations.
Adverse Events: In the event of an	advarage registion accurring at a	Madiy Infusion quita utiliza tha M	ladiv Infusion advoras reactions
protocol.	adverse reaction occurring at a r		
Comments:			
	DDESCOIDED		
			(If Applicable)
			tate: Zip:
	•		tate: Zip:
		Γαλ	