

## **Truxima Order Form**

(rituximab-abbs)

FAX TO: 972.499.9210

PATIENT INFORMATION					
Patient Name:		DOB:	Phone:	Sex: M F Ht:	Wt: lbs kg
Primary Language:	AI	lergies:			
Patient Preferred Loca	tion:				
<icd 10="" code="" requir<="" td=""><td>RED&gt;</td><th>DIAGNOSIS &amp; C</th><td>LINICAL INFORMATION</td><td>ON</td><td></td></icd>	RED>	DIAGNOSIS & C	LINICAL INFORMATION	ON	
M06.9 Rheumatoid Ar M31.30 Granulomatos M31.7 Microscopic Po Other:	thritis sis w/Polyangitis (We olyangitis	gener's Granulomat	osis GPA)		
<u>REQUIRED</u> : Demographics & Most Recent: H&P, clinical notes, & medication list. Supporting clinical notes to include any past tried and/or failed therapies, intolerance, outcomes, or contraindications to conventional therapy. <u>LAB RESULTS</u> : Include Negative Hepatitis B within 3 years.  PRESCRIPTION					
Pre-Medications Acetaminophen: 650 r Methylprednisolone: 1 Diphenhydramine: 25 Other:	25 mg SIVP mg IVP				
TRUXIMA (rituximab-abbs) Infuse in 250-550 mL of 0.9% Sodium Chloride					
Loading Dose (SELECT ONE)  IV: Infuse 1000 mg  IV: infuse 375 mg/m² − Required → Height: Weight: lbs or kg					
Frequency and Duration (SELECT ONE) Infuse single dose Infuse every week for 4 weeks total Infuse initial dose at day 1 followed by 2nd dose on day 15, then repeat cycle every months for one year Other frequency: for one year					
Post Treatment Observations: The patient is observed for 60 minutes following the first administration.					
<b>Adverse Events:</b> In the event of an adverse reaction occurring at a Medix Infusion suite, utilize the Medix Infusion adverse reactions protocol.					
Comments:					
PRESCRIBER INFORMATION					
Prescriber Name:			Signature:		
Date:	_ NPI #:		Specialty:		
Supervising Physician: _					(If Applicable)
Address:		City:		State:	Zip:
Contact Name:		Phone:	Fax:	Email:	