

## **Rituxan Order Form**

(rituximab)

FAX TO: 972.499.9210

PATIENT INFORMATION						
Patient Name:	DOB:	Phone:	_Sex: M	1 F Ht:	Wt: II	os kg
Primary Language:	Allergies:					
Patient Preferred Location:						
<icd 10="" code="" required=""> DIAGNOSIS &amp; CLINICAL INFORMATION</icd>						
ICD 10 Code  M06.9 Rheumatoid Arthritis  M31.30 Granulomatosis w/Polyangitis (Wegener's Granulomatosis GPA)  M31.7 Microscopic Polyangitis  Other:						
<u>REQUIRED</u> : Demographics & Most Recent: H&P, clinical notes, & medication list. Supporting clinical notes to include any past tried and/or failed therapies, intolerance, outcomes, or contraindications to conventional therapy. <u>LAB RESULTS:</u> Include Negative Hepatitis B within 3 years.						
PRESCRIPTION						
Pre-Medications Acetaminophen: 650 mg PO Methylprednisolone: 125 mg SIVP	Diphenhydramine Other:	•				
RITUXAN (rituximab)						
Infuse in 250-550 mL of 0.9% Sodium Chlo	oride					
Loading Dose (SELECT ONE)  IV: Infuse 1000 mg	<b>IV:</b> infuse 375 mg	g/m² – <b>Required</b> → Height:	We	eight:	_ lbs <b>or</b>	κg
Frequency and Duration (SELECT ONE)  Infuse single dose Infuse every week for 4 weeks total Infuse initial dose at day 1 followed by 2nd dose on day 15, then repeat cycle every months for one year  Other frequency: for one year						
Is the patient on any other disease mod If yes, please note therapy and last dos	lifying therapy?	Yes No				
Post Treatment Observations: The patient is observed for 60 minutes following the first administration.						
Adverse Events: In the event of an adver protocol.  Comments:	se reaction occurring a	t a Medix Infusion suite, utiliz	e the Med	ix Infusion ad	dverse reactions	
PRESCRIBER INFORMATION						
Prescriber Name:		Signature:				
Date: NPI #:						
Supervising Physician:					(If App	licable)
Address:	City:		Stat	te:	Zip:	
Contact Name:	Phone:	Fax:	En	nail:		